CLINICA CHIMICA ACTA
Vol. 38 (1972)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 38 (1972)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief: C. P. Stewart, Edinburgh
Associate Editor: S. C. Frazer, Aberdeen

Regional Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Birmingham
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1972 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol. 38 (1972)

AUTHOR INDEX

ABELN, G. see DEGENHART, H. J. 217
ABER, G. M. see MCGALE, E. H. F. . . . 395
AGNERAY, J. see JARDILLIER, J.-C. . . . 187
ALAUPOVIĆ, P. see MAGNANI, H. N. . . . 405
APELL, G. see HUISMAN, T. H. J. 5
BAKS, J. see DEGENHART, H. J. 217
BARON, D. N. see BUTTERY, J. E. 242
BERRY, D. J. see GROVE, J. 321
BEVAART, B. see DEGENHART, H. J. . . . 217
BEYER, W.
(Eine spektralphotometrische Bestimmung von Kupfer in Serum, Harn und Faeces) 119
BISERTE, G. see FRUCHART, J. C. 247
BITSCH, V.
(A modification of the Gibbard and Watkins method for determination of D-β-hydroxybutyrate) 471
BISWAS, S., HINDOCHA, P.
(The serum heat labile alkaline phosphatase activity during pregnancy) 455
BLAU, K.
(Increased mannitol excretion in controlled hereditary galactosemia) 441
BLISS, B. P. see NEWALL, R. G. 307
BONARDI, G. see VIDI, A. 463
BOOIJ, J.
(Some divergent results of protein standardization) 355
BORNUZ, F. see CUCUIANU, M. 97
BOUVER, N. G. see HUISMAN, T. H. J. . . 5
BRAUMAN, H. see COPINSCHI, G. 207
BREEBAART, K., SMORENBURG, H., HAAN, A. M. F. H.
(A mechanic system for the gel filtration of urinary oestrogens during pregnancy) 263
BROWN, S. S., SMITH, A. F.
(Assessment of printing calculators for use with the LKB reaction rate analyser) 51
BUC, H., NAJMAN, A., COLUMELLI, S., CATTIER, P.
(Déficit en congenital pyruvate kinase erythrocytaire: étude cinétique de l'enzyme et consequences métaboliques) . 131
BUCELLA, C. see TENTORI, L. 258
BUTTERY, J. E., BARON, D. N.
(Comparison of colorimetric methods for serum ornithine carbamoyl transferase) 242
CALSEYDE, VAN DE J. F., SCHOLTIS, R. J. H., SCHMIDT, N. A., LEIJTEN, C. J. J. A.
(Profiling urinary steroids. A reliable procedure) 103
CARMONADA MOTTA, H. see MANUEL, Y. . 250
CARTA SORCINI, M. see TENTORI, L. . . . 258
CATTIER, P. see BUC, H. 131
CHAPMAN, L., REGE, V. P., JOWETT, T. P., SILK, E., TOOTH, E. A.
(An automated method for the assay of serum cystine aminopeptidase in pregnancy) 339
CHRISTOPH, G. W., SCHMIDT, D. E., DAVIS, J. M., JANOWSKY, D. S.
(A method for the determination of chlorpromazine in human blood serum) 265
COENEGRACHT, J. M. see POSTMES, T. J. . 313
COLAIANNI, W. see SEARCY, R. 291
COLUMELLI, S. see BUC, H. 131
CONDORELLI, S., LOMBARDI, D., GUSMANO, R., PISANO, L.
(Pulmonary A-V differences of lipids and free fatty acids in relation to fasting and to high fat meals) 141
COOKE, I. D. see EVANS, C. 25
COOPER, B. A. see GIBBS, B. F. 447
COPINSCHI, G., WOLTER, R., BRAUMAN, H.
(Reproducibility of plasma growth hormone determinations between different laboratories) 207
COTLIER, E.
(Tay-Sachs disease: abbreviated serum hexosaminidase A test from finger-tip samples) 233
CRAWHALL, J. C. see GIBBS, B. F. 447
CROWLEY, M. F., GARBIEN, K. J. T., ROSSER, A.
(Oestrogen determination in pregnancy urine) 91
CUCUIANU, M., BORNUZ, F., MACAVEI, I.
(Effect of L-asparaginase therapy upon serum pseudocholinesterase and ceruloplasmin in levels patients with acute leukemia) 97
CULROSS, J. see FARRANCE, L. 475
DARCY, D. A.
(A general method of increasing the sensitivity of immune diffusion. Its application to CEA) 329

DAVIS, J. M. see CHRISTOPH, G. W. . . . 265
DEGENHART, H. J., ABELN, G., BEVAART, B., BAKS, J.
(Estimation of Br^- selective electrode) . 217
DENNIS, P. M. see FARRANCE, L. 475
DONABEDIAN, R. K. see MAY, P. 255
DOORENBOS, H. see KERSEN, VAN, F. . . 239
DRNEC, J. see SEARCY, R. 291
EBBIGHAUSEN, W. see KAHANE, Z. . . . 413
EIJK, VAN, H. G. see HEUL, VAN DER, C. . 347
ELDER, M. G., WOOD, E. J.
(A modification of the serum glucose-6-phosphatase assay) 211
ELDJARN, L. see HUISMAN, T. H. J. . . . 17
ERNSTBERGER, W. see SCHWILLE, P. O. . 379
EVANS, C., FAHMY, D., MORGAN, C. A., PEARCE, M. A., COOKE, I. D.
(A method for urinary pregnanediol determination using gas-liquid chromatography with electron capture) 25
EVANS, J. R.
(The reaction of vitamin D (Calciferol) with tetracyanoethylene. The basis of a possible chemical method to estimate vitamin D) 85
FAHMY, D. see EVANS, C. 25
FARRANCE, L., CULROSS, J., DENNIS, P. M.
(Modification to SMA 6/60 and SMA 12/60 dialyzers). 475
FISHMAN, L. see INGLIS, N. R. 67
FISHMAN, L., INGLIS, N. R., FISHMAN, W. H.
(Preparation and characterization of human intestinal alkaline phosphatase antigens). 75
FISHMAN, W. H. see FISHMAN, L. 75
FISHMAN, W. H. see INGLIS, N. R. . . . 67
FRUCHART, J. C. see JAILLARD, J. 277
FRUCHART, J. C., SEZILLE, G., JAILLARD, J., BISERTE, G.
(Nouvelle méthode pour la détermination rapide et précise de la lipase sérique) 247
FRYDECKCA, I. see GOLA, A. 127
FUHRMAN, W. see KOSTNER, G. 155
GALLYAS, F. see KERÉNYL, L. 465
GARBIEN, K. J. T. see CROWLEY, M. F. . 91
GIBBS, B. F., ITIABA, K., MAMER, O. A., CRAWHALL, J. C., COOPER, B. A.
(A rapid method for the analysis of urinary methylmalonic acid) 447
GIJZEN, A. H. J. see OERS, VAN, R. J. M. 365
GOLA, A., FRYDECKA, I., SŁOŃCZEWSKI, B.
(Free fatty acids curve in normals during the oral glucose tolerance test) . . . 127
GRIMBLE, R. F.
(The determination of pipecolic acid in serum and urine) 113
GROVE, J. see TOSELAND, P. A. 321
GUSMANO, R. see CONDORELLI, S. . . . 141
GUSTAFSSON, J.-A. see MANSON, M. E. . . 45
HAAN, A. M. F. H. see BREEBAART, K. . . 263
HARELL, A. see STREIFLER, C. 244
HERZ, F., KAPLAN, E., SCHEYE, E. S.
(Red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuria) 301
HEUL, VAN DER, C., EIJK, VAN, H. G., WILTINK, W. F., LEIJNSE, B.
(The binding of iron to transferring and to other serum components at different degrees of saturation with iron) 347
HINDOCHA, P. see BISWAS, S. 455
HOLASEK, A. see KOSTNER, A. 155
HONJO, I. see OZAWA, K. 385
HUISMAN, T. H. J., SCHROEDER, W. A., BOUVER, N. G., MILLER, A., SHELTON, J. B., SHELTON, J. R., APELL, G.
(Chemical heterogeneity of fetal hemoglobin in subjects with sickle cell anemia, homozygous Hb-C disease, and various combinations of hemoglobin variants) . 5
HUISMAN, T. H. J. see WONG, S. C. . . . 473
INGLIS, N. R. see FISHMAN, L. 75
INGLIS, N. R., FISHMAN, L., STOLBACH, L. L., WARSHAW, J. B., FISHMAN, W. H.
(A comparison of chyle isoenzymes of alkaline phosphatase in chyle and hypophosphatasemic sera) 67
ITIABA, K. see GIBBS, B. F. 447
JACOBS, W. L. W.
(γ-Glutamyl-transpeptidase in diseases of the liver, cardiovascular system and diabetes mellitus) 419
JAILLARD, J. see FRUCHART, J. C. . . . 247
JAILLARD, J., SEZILLE, G., FRUCHART, J. G., SCHERPEREEL, P.
(Dosage semi-automatique de l'activité lipolytique du plasma post-héparine. Bilan des premières applications clinique) 277
JANOWSKY, D. S. see CHRISTOPH, G. W. . 265
JARDILLIER, J.-C., RENAUD, D., VATIER, J., AGNERAY, J.
(Étude cinetique de l'action de la pepsine sur l'hémoglobine. Application a l'exploration fonctionelle gastrique) . . 187
JELLUM, E. see PETTERSEN, J. E. 17
JOWETT, T. P. see CHAPMAN, L. 339
KAHANE, Z., EBBIGHAUSEN, W., VESTERGAARD, P.
(Gas chromatographic estimation of urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate) 413
KALMAN, S. M. see WATSON, E. 33
KAMANO, T. see OZAWA, K. 385
KAPLAN, E. see HERZ, E. 301
KAR, N. C., PEARSON, C. M.
(Fructose 1,6-diphosphatase in normal and diseased human muscle) 252
KAR, N. C., PEARSON, C. M.
(NADP-linked dehydrogenase in Duchennes muscular dystrophy) 183
KERÉNYL, L., GALLYAS, F.
(A highly sensitive method for demonstrating proteins in electrophoretic immunoelectrophoretic and immunodiffusion preparation) 465
KERSEN, VAN, F., DOORENBOS, H., WARINGA, B. H., WOLDRING, M. G.
(Serum thyroxine after infusion of TRH) 239
KITAMURA, O. see OZAWA, K. 385
KNOETGEN, U. see PETEK, W. 460

KOSTNER, G., HOLASEK, A., SCHOENBORN, W., FUHRMAN, W.
(Immunochemische Untersuchung und analytische isoelektrische Fokussierung des Serums eines Patienten mit Tangier-Krankheit) 155
KOSTIC, D. see NESKOVIC, N. 147
KOSTNER, G. see PETEK, W. 460
LARSEN, K.
(Creatinine assay in the presence of protein with LKB 8600 Reaction Rate Analyser) 477
LAVINHA, F. see REGEMORTER, VAN, N. . 59
LEIJTEN, C. J. J. A. see CALSEYDE, VAN DE, J. F. 103
LEIJNSE, B. see HEUL, VAN DER, C. . . . 347
LOMBARDI, D. see CONDORELLI, S. . . . 141
LOWENTHAL, A. see REGEMORTER, VAN, N. 59
MACAVEI, I. see CUCUIANU, M. 97
MAGNANI, H. N., ALAUPOVIĆ, P.
(A method for the quantitative determination of the abnormal lipoprotein (LP-X) of obstructive jaundice) 405
MAGOC, T. see SEARCY, R. 291
MAMER, O. A. see GIBBS, B. F. 447
MANDEL, P. see NESKOVIC, N. 147
MANSON, M. E., NOCKE-FINK, L., GUSTAFSSON, J.-A., SHACKLETON, C. H. L.
(Artifact formation during incubation of neutral steroids with commercial β-glucuronidase preparations) 45
MANUEL, Y., CARMONADA MOTTA, H.
(Serum immunoglobulin levels in healthy children and children with current infectious diseases) 250
MARDENS, Y. see REGEMORTER, VAN, N. . 59
MARTIN, B. R., TIMMONS, M. C., PRANGE, JR. A. J.
(Enzymatic hydrolysis of 3-methoxy-4-hydroxyphenethyleneglycol conjugates) 271
MAY, P., DONABEDIAN, R. K.
(Lipoprotein X simulating paraproteinemia in paper electrophoresis) 255
MCGALE, E. H. F., PICKFORD, J. C., ABER, G. M.
(Quantitative changes in plasma amino acids in patients with renal disease) . . 395
MILLER, A. see HUISMAN, T. H. J. . . . 5
MIKAC-DEVIĆ, D., TOMANIĆ, C.
(Determination of 4-pyridoxic acid in urine by a fluorimetric method) 235
MIZUKAMI, T. see OZAWA, K. 385
MORGAN, C. A. see EVANS, C. 25
NAJMAN, A. see BUC, H. 131
NESKOVIC, N., SARLIEVE, L., NUSSBAUM, J.-L., KOSTIC, D., MANDEL, P.
(Quantitative thin-layer chromatography of glycolipids in animal tissues) 147
NEWALL, R. G., BLISS, B. P.
(An association of very low density lipoproteins with type II hyperlipoproteinemia) 307
NOCKE-FINK, L. see MANSON, M. E. . . . 45
NORGAARD-PEDERSEN, B.
(Purification and sensitive immunoelectrophoretical detection and quantitation of human α_1-foetoprotein) 163
NUSSBAUM, J.-L. see NESKOVIC, N. . . . 147
NÝDR, J., ŠTÁHLAVSKÁ, A.
(Die chelatometrische Bestimmung von Amino-Stickstoff in Harn) 457
OERS, VAN, R. J. M., GIJZEN, A. H. J.
(A systematic investigation on the competitive proteinbinding assay of thyroxine in serum with ion exchange strips). 365
OIMOMI, M. see TAKAHASHI, K. 285
OZAWA, K., KITAMURA, O., MIZUKAMI, T., YAMAOKA, Y., KAMANO, T., TAKEDA, H., TAKASAN, H., HONJO, I.
(Human liver mitochondria) 385
PAL, S. B., TELLER, W. M.
(Urinary excretion of dehydroepiandrosterone in normal children and in patients with adrenocortical disorders) 371
PEARCE, M. A. see EVANS, C. 25
PEARSON, C. M. see KAR, N. C. 183
PEARSON, C. M. see KAR, N. C. 252
PETEK, W., KOSTNER, G., KNOETGEN, U.
(Immunochemical characterization of the "pre-α" band in lipoprotein). . . . 460
PETTERSEN, J. E., JELLUM, E., ELDJARN, L.
(The occurrence of adipic and suberic acid in urine from ketotic patients) . . 17
PICKFORD, J. C. see MCGALE, E. H. F. . . 395
PISANO, L. see CONDORELLI, S. 141
PITKÄNEN, E.
(The serum polyol pattern and the urinary polyol excretion in diabetic and in uremic patients) 217
POSTMES, T. J., COENEGRACHT, J. M.
(A chemical determination of plasma inorganic iodine by ultrafiltration) . . . 313
PRANGE, JR. A. J. see MARTIN, B. R. . . 271
PRICE, C. P. see WOODMAN, D. D. . . . 39
REGE, V. P. see CHAPMAN, L. 339
REGEMORTER, VAN, N., MARDENS, Y., LOWENTHAL, A., SANDE, VAN, M., LAVINHA, F.
(Distribution de deux peptides de l'acide γ-aminobutyrique dans le liquide céphalo-rachidien et le cerveau humain) . . 59
RENAUD, D. see JARDILLIER, J.-C. . . . 187
ROELCKE, D.
(St_1-anti-st_1: a new human autoimmune system) 468
ROSSER, A. see CROWLEY, M. F. 91
SANDE, VAN, M. see REGEMORTER, VAN, N. 59
SARLIEVE, L. see NESKOVIC, N. 147
SCHERPEREEL, P. see JAILLARD, J. . . . 277
SCHEYE, E. S. see HERZ, F. 301
SCHMIDT, D. E. see CHRISTOPH, G. W. . . 265
SCHMIDT, N. A. see CALSEYDE, VAN DE, J. F. 103
SCHNITZER, N. see STREIFLER, C. 244
SCHOENBORN, W. see KOSTNER, G. . . . 155
SCHOLTIS, R. J. H. see CALSEYDE, VAN DE J. F. 103
SCHROEDER, W. A. see HUISMAN, T. H. J. 5
SCHWILLE, P. O., ERNSTBERGER, W.

(Ultrafiltrables Calcium und Magnesium im Serum von gesunden und Nierensteinkranken) 379
SEARCY, R., COLAIANNI, W., YOUNG, E., DRNEC, J., MAGOC, T.
(A screening procedure for detecting and characterizing hyperlipoproteinemia) . 291
SELIGSON, D. see SELIGSON, H. 199
SELIGSON, H., SELIGSON, D.
(Measurement of thyroxine by competitive protein binding) 199
SEUTTER, E., SUTORIUS, A. H. M.
(Quantitative analysis of hydroquinone in urine) 231
SEZILLE, G. see FRUCHART, J. C. 247
SEZILLE, G. see JAILLARD, J. 277
SHACKLETON, C. H. L. see MANSON, M. E. 45
SHELTON, J. R. see HUISMAN, T. H. J. . . 5
SHELTON, J. B. see HUISMAN, T. H. J. . . 5
SHINKO, T. see TAKAHASHI, K. 285
SILK, E. see CHAPMAN, L. 339
SŁOŃCZEWSKI, B. see GOLA, A. 127
SMITH, A. F. see BROWN, S. S. 51
SMORENBURG, H. see BREEBAART, K. . . 263
SPENCER, H. see WARREN, J. M. 435
ŠTÁHLAVSKÁ, A. see NÝDR, J. 457
STOLBACH, L. L. see INGLIS, N. R. . . . 67
STREIFLER, C., SCHNITZER, N., HARELL, A.
(A rare isoenzyme of alkaline phosphatase in 4 patients with ulcerative colitis) 244
SUTORIUS, A. H. M. see SEUTTER, E. . . 231
TAKAHASHI, K., USHIKUBO, S., OIMOMI, M., SHINKO, T.
(Creatine phosphokinase isozymes of human heart muscle and skeletal muscle) 285
TAKASAN, H. see OZAWA, K. 385
TAKEDA, H. see OZAWA, K. 385
TELLER, W. M. see PAL, S. B. 371
TENTORI, L., CARTA SORCINI, M., BUCCELLA, C.
(Hemoglobin Abruzzo: beta 143 (H 21) His → Arg) 258
TIMMONS, M. C. see Martin, B. R. 271
TOMANIĆ, C. see MIKAC-DEVIĆ, D. . . . 235
TOOTH, E. A. see CHAPMAN, L. 339
TOSELAND, P. A., GROVE, J., BERRY, D. J.
(An isothermal GLC determination of the plasma levels of carbamazepine diphenylhydantoin, phenobarbitone and primidone) 321
TREIBER, L. R.
(Zur Bestimmung von Oxosteroiden mit 2,4-Dinitrophenyl-hydrazin) 171
USHIKUBO, S., see TAKAHASHI, K. . . . 285
VATIER, J. see JARDILLIER, J.-C. 187
VESTERGAARD, P. see KAHANE, Z. . . . 413
VIDI, A., BONARDI, G.
(Simple quantitative method for determining 8-methoxy-4-hydroxyphenylacetic acid and 3,4-dihydroxyphenylacetic acid in urine 463
WARINGA, B. H. see KERSEN, VAN, F. . . 239
WARREN, J. M., SPENCER, H.
(Analysis of stable strontium in biological materials by atomic absorption spectrophotometry) 435
WARSHAW, J. B., see INGLIS, N. R. . . . 67
WATSON, E., KALMAN, S. M.
(A thirty-minute determination of sedatives in plasma by gas-liquid chromatography) 33
WILTINK, W. F. see HEUL, VAN DER, C. . 347
WOLDRING, M. G. see KERSEN, VAN, F. . 239
WOLTER, R. see COPINSCHI, G. 207
WONG, S. C., HUISMAN, T. H. J.
(Further evidence for non-linkage of the Hbα and Hbβ structural loci in man) . 473
WOOD, E. J. see ELDER, M. G. 211
WOODMAN, D. D., PRICE, C. P.
(Estimation of serum total lipids) . . . 39
YAMAOKA, Y. see OZAWA, K. 385
YOUNG, E. see SEARCY, R. 291

CLINICA CHIMICA ACTA Vol. 38 (1972)

SUBJECT INDEX

Acetylcholinesterase deficiency, red cell, in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuris (HERZ, KAPLAN, SCHEYE) 301

Acid, adipic and suberic, occurrence of in urine from ketotic patients (PETTERSEN, JELLUM, ELDJARN) 17

Acid, 4-pyridoxic, determination of, in urine by a fluorimetric method (MIKAC-DEVIĆ, TOMANIĆ) 235

Adrenocortical disorders, urinary excretion of dehydroepiandrosterone in normal children and in patients with (PAL, TELLER) 371

Alkaline phosphatase, a rare isoenzyme of, in 4 patients with ulcerative colitis (STREIFLER, SCHNITZER, HARELL) . . . 244

Alkaline phosphatase activity during pregnancy, the serum heat labile (BISWAS, HINDOCHA) 455

Alkaline phosphatase antigens, human intestinal, preparation and characterization of (FISHMAN, INGLIS, FISHMAN) . . 75

Amino acids, quantitative changes in plasma, in patients with renal disease (MCGALE, PICKFORD, ABER) 395

Amino compounds, the determination of nitrogen of, in urine by chelates (NÝDR, ŠTÁHLAVSKÁ) 457

γ-aminobutyric acid, distribution of two peptides of, in cerebrospinal fluid and the human brain (REGEMORTER, MARDENS, LOWENTHAL, VAN SANDE, LAVINHA) 59

Anemia, autoimmune hemolytic, and in paroxysmal nocturnal hemoglobinuria, red cell acetylcholinesterase deficiency in (HERZ, KAPLAN, SCHEYE) 301

Anemia, sickle cell, homozygous Hb-C disease, SC-disease, chemical heterogenity of fetal homoglobin in subjects with, and various combinations of hemoglobin variants (HUISMAN, SCHROEDER, BOUVER, MILLER, SHELTON, SHELTON, APELL) . . 5

Antigens, human intestinal alkaline phosphatase, preparation and characterization of (FISHMAN, INGLIS, FISHMAN) . . 75

Artifact formation during incubation of neutral steroids with commercial β-glucuronidase preparations (MANSON, NOCKE-FINK, GUSTAFSSON, SHACKLETON) 45

L-asparaginase therday, effect of, upon serum pseudocholinesterase and ceruloplasmin levels in patients with acute leukemia (CUCUIANU, BORNUZ, MACAVEI) 97

Blood serum, human, a method for determination of chlorpromazine in (CHRISTOPH, SCHMIDT, DAVIS) 265

Br^- in plasma, estimation of, with a Br^- selective electrode (DEGENHAR, ABELN, BEVAART, BAKS) 217

Calculators, printing, assessment of, for use with the LKB reaction rate analyser (BROWN, SMITH) 51

Carbamazepine, diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of (TOSELAND, GROVE, BERRY) . . 321

Carbamoyl transferase, serum ornithine, comparison of colorimetric methods for (BUTTERY, BARON) 242

Cardiovascular system and diabetes mellitus, γ-glutamyl-transpeptidase in diseases of the liver (JACOBS) 419

CEA. A general method of increasing the sensitivity of immune diffusion. Its application to (Darcy) 329

Ceruloplasmin levels, effect of L-asparaginase therapy upon serum pseudocholinesterase and, in patients with acute leukemia (CUCUIANU, BORNUZ, MACAVEI) 97

Chlorpromazine, a method for determination of, in human blood serum (CHRISTOPH, SCHMIDT, DAVIS) 265

Chromatographic, gas, estimation of urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate (KAHANE, EBBIGHAUSEN, VESTERGAARD) 413

Chromatography, gas-liquid, a thirty-minute determination of sedatives in plasma by (WATSON, KALMAN) 33

Chromatography, gas-liquid, urinary pregnanediol determination, a method for using, with electron capture (EVANS, FAHMY, MORGAN, PEARCE, COOKE) . . 25

Chromatography. quantitative thin-layer,

of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 147
Chyle isoenzymes, a comparison of, of alkaline phosphatase in chyle and hypophosphatasemic sera (Inglis, Fishman, Stolbach, Warshaw, Fishman) 67
Colitis, ulcerative, a rare isoenzyme of alkaline phosphatase in 4 patients with (Streifler, Schnitzer, Harell) . . . 244
Colorimetric methods, comparison of, for serum ornithine carbamoyl transferase (Buttery, Baron) 242
Copper, spectrophotometric determination of, in serum, urine and faeces (Beyer) . 119
Creatine assay in the presence of protein with LKB 8600 Reaction Rate Analyser (Larsen) 477
Creatine phosphokinase isozymes of human heart muscle and skeletal muscle (Takahashi, Ushikubo, Oimomi, Shinko) . . 285
Cystine, serum, aminopeptidase in pregnancy, an automated method for the assay of (Chapman, Rege, Jowett, Silk, Tooth) 339
Dehydroepiandrosterone in normal children and in patients with adrenocortical disorders, urinary excretion of (Pal, Teller) 371
Dehydrogenases, NADP-linked, in Duchennes muscular dystrophy (Kar, Pearson) 183
Diabetes mellitus, γ-glutamyl-transpeptidase in diseases of the liver, cardiovascular system and (Jacobs) 419
Diabetic, the serum polyol pattern and the urinary polyol excretion in, and in uremic patients (Pitkänen) 221
Dialyzers, modifications to SMA 6/60 and SMA 12/60 (Farrance, Culross, Dennis) 475
Dinitrophylhenydrazine, 2,4, determination of oxosteroids with (Treiber) 171
Diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of carbamazepine (Toseland, Grove, Berry) . . 321
Duchennes muscular dystrophy, NADP-linked dehydrogenases in (Kar, Pearson) 183
Electrophoresis, paper, lipoprotein X simulating paraproteinemia in (May, Donabedian) 255
Electrophoretic, immunoelectrophoretic and immunodiffusion preparations, a highly sensitive method for demonstrating proteins in (Kerényl, Gallyas) . . 465
Enzymatic hydrolysis of 3-methoxy-4-hydroxyphenethyleneglycol conjugates (Martin, Timmons, Prange) 271
Faeces, serum, urine and, spectrophotometric determination of copper in Beyer) 119
Fasting, pulmonary A-V differences of lipids and free fatty acids in relation to, and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 141
Fatty acids curve, free, in normals during the oral glucose tolerance test (Gola, Frydecka, Słończewski) 127
Fatty acids, free, pulmonary A-V differences of lipids and, in relation to fasting and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 141
Fetal hemoglobin, chemical heterogenity of, in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 5
Fluorimetric method, determination of 4-pyridoxic acid in urine by (Mikac-Dević, Tomanić) 235
α_1-foetoprotein, quantitation of human, purification and sensitive immunoelectrophoretical detection and (Norgaard-Pedersen) 163
Fructose, 1,6-diphosphatase in normal and diseased human muscle (Kar, Pearson) 252
Galactosemia, increased mannitol excretion in controlled hereditary (Blau) . . 441
Gas-liquid chromatography, a thirty-minute determination of sedatives in plasma by (Watson, Kalman) 33
Gas-liquid chromatography, urinary pregnanediol determination, a method for using, with electron capture (Evans, Fahmy, Morgan, Pearce, Cooke) . . 25
Gastric function, kinetic study of the action of pepsin on hemoglobin applied to (Jardillier, Renaud, Vatier, Agneray) 187
Gel filtration, a mechanic system for the, of urinary oestrogens during pregnancy (Breebaart, Smorenburg, Haan) . . 263
Gibbard and Watkins method, a modification of the, for determination of D-β-hydroxybutyrate (Bitsch) 471
GLC determination, an isothermal, of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone (Toseland, Grove, Berry) . 321
Glucose, oral, free fatty acids curve in normals during the, tolerance test (Gola, Frydecka, Słończewski) 127
Glucose-6-phosphatase assay, serum, a modification of the (Elder, Wood) . . 211
β-glucuronidase preparations, commercial, artifact formation during incubation of neutral steroids with (Manson, Nocke-Fink, Gustafsson, Shackleton) . . . 45
γ-glutamyl-transpeptidase in diseases of the liver, cardiovascular system and diabetes mellitus (Jacobs) 419
Glycolipids in animal tissues, quantitative thin-layer chromatography of (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 147
Hbα and Hbβ structural loci in man, further evidence for nonlinkage of the

(WONG, HUISMAN) 473
Hbβ, Hbα and, structural loci in man, further evidence for nonlinkage of the (WONG, HUISMAN) 473
Heart muscle, human, and skeletal muscle, creatine phosphokinase isozymes of (TAKAHASHI, USHIKUBO, OIMOMI, SHINKO) 285
Hemoglobin Abruzzo: beta 143 (H 21) His → Arg (TENTORI, SORCINI, BUCCELLA) 258
Hemoglobin, fetal, chemical heterogenity of, in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (HUISMAN, SCHROEDER, BOUVER, MILLER, SHELTON, SHELTON, APELL) 5
Hemoglobin, kinetic study of the action of pepsin on, applied to gastric function (JARDILLIER, RENAUD, VATIER, AGNERAY) 187
Hemoglobinuria, paroxysmal nocturnal, red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in (HERZ, KAPLAN, SCHEYE) 301
Heterogeneity, chemical, of fetal hemoglobin in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (HUISMAN, SCHROEDER, BOUVER, MILLER, SHELTON, SHELTON, APELL) 5
Hexosaminidase A test, abbreviated serum, from finger-tip samples: Tay-Sachs disease (COTLIER) 233
Hydrolysis, enzymatic, of 3-methoxy-4-hydroxyphenethyleneglycol conjugates (MARTIN, TIMMONS, PRANGE) 271
Hydroquinone, quantitative analysis of, in urine (SEUTTER, SUTORIUS) 231
D-β-hydroxybutyrate, a modification of the Gibbard and Watkins method for determination of (BITSCH) 471
Hyperlipoproteinemia, a screening procedure for detecting and characterizing (SEARCY, COLAIANNI, YOUNG, DRNEC, MAGOC) 291
Hyperlipoproteinaemia, Type II, an association of very low density lipoproteins with (NEWALL, BLISS) 307
Immune diffusion, a general method of increasing the sensitivity of. Its application to CEA (DARCY) 329
Immunochemical characterization of the "pre-α" band in lipoprotein (PETEK, KOSTNER, KNOETGEN) 460
Immunochemical examination and analytical isoelectric focussing of serum of a patient with Tangier disease (KOSTNER, HOLASEK, SCHOENBORN, FUHRMAN) . . 155
Immunodiffusion preparations, a highly sensitive method for demonstrating proteins in electrophoretic, immunoelectrophoretic and (KERÉNYL, GALLYAS) . . 465
Immunoelectrophoretic and immunodiffusion preparations, a highly sensitive method for demonstrating proteins in electrophoretic (KERÉNYL, GALLYAS) . 465
Immunoglobulin levels, serum, in healthy children and children with current infectious diseases (MANUEL, CARMONADA MOTTA) 250
Intestinal alkaline phosphatase antigens, human, preparation and characterization of (FISHMAN, INGLIS, FISHMAN) . . 75
Iodine, plasma inorganic by ultrafiltration, a chemical determination of (POSTMES, COENEGRACHT) 313
Iron, the binding of, to transferrin and to other serum components at different degrees of saturation with iron (VAN DER HEUL, VAN EIJK, WILTINK, LEIJNSE) . 347
Isothermal, an, GLC determination of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone (TOSELAND, GROVE, BERRY) . . 321
Jaundice, obstructive, a method for the quantitative determination of the abnormal lipoprotein (LP-X) of (MAGNANI, ALAUPOVIĆ) 405
Ketotic patients, occurrence of adipic and suberic acid in urine from (PETTERSEN, JELLUM, ELDJARN) 17
Kidney stone patients, ultrafiltrable serum calcium and magnesium in healthy volunteers and (SCHWILLE, ERNSTBERGER) 379
KINETIC study of the action of pepsin on hemoglobin applied to gastric function (JARDILLIER, RENAUD, VATIER, AGNERAY) 187
Leukemia, patients with acute, effect of L-asparaginase therapy upon serum pseudocholinesterase and ceruloplasmin levels in (CUCUIANU, BORNUZ, MACAVEI) 97
Lipase, serum, new method for the rapid and precise determination of (FRUCHART, SEZILLE, JAILLARD, BISERTE) 247
Lipids, pulmonary A-V differences of, and free fatty acids in relation to fasting and to high fat meals (CODORELLI, LOMBARDI, GUSMANO, PISANO) 141
Lipids, serum total, estimation of (WOODMAN, PRICE) 39
Lipolytic activity, post-heparin plasma, semi-automatic determination of. Clinical studies (JAILLARD, SEZILLE, FRUCHART, SCHERPEREEL) 277
Lipoprotein, (LP-X) of obstructive jaundice a method for the quantitative determination of the abnormal (MAGNANI, ALAUPOVIĆ) 405
Lipoprotein, immunochemical characterization of the "pre-α" band in (PETEK, KOSTNER, KNOETGEN) 460
Lipoprotein X simulating paraproteinemia in paper electrophoresis (MAY, DONABEDIAN) 255
Lipoproteins, an association of very density, with Type II hyperlipoproteinaemia (NEWALL, BLISS) 307

Liver, cardiovascular system and diabetes mellitus, γ-glutamyltranspeptidase in diseases of the (JACOBS) 419
Liver mitochondria, human (OZAWA, KITAMURA, MISUKAMI, YAMAOKA, KAMANO, TAKEDA, TAKASAN, HONJO) 385
LKB 8600 Reaction Rate Analyser, creatine assay in the presence of protein with (LARSEN) 477
LKB reaction rate analyser, the, assessment of printing calculators for use with (BROWN, SMITH) 51
Magnesium, ultrafiltrable serum calcium and, in healthy volunteers and kidney stone patients (SCHWILLE, ERNSTBERGER) 379
Mannitol excretion, increased, in controlled hereditary galactosemia (BLAU) 441
Measurement of thyroxine by competitive protein binding (SELIGSON, SELIGSON) . 199
Methylmalonic acid, urinary, a rapid method for the analysis of (GIBBS, ITIABA, MAMER, CRAWHALL, COOPER) 447
Mitochondria, human liver (OZAWA, KITAMURA, MISUKAMI, YAMOAKA, KAMANO, TAKEDA, TAKASAN, HONJO) 385
Muscular dystrophy Duchennes, NADP-linked dehydrogenases in (KAR, PEARSON) 183
NADP-linked dehydrogenases in Duchennes muscular dystrophy (KAR, PEARSON) 183
Nitrogen, the determination of, of amino compounds in urine by chelates (NÝDR, ŠTÁHLAVSKÁ) 457
Oestrogen determination in pregnancy urine (CROWLEY, GARBIEN, ROSSER) . . 91
Oestrogens, urinary, during pregnancy, a mechanic system for the gel filtration of (BREEBAART, SMORENBURG, HAAN) . . 263
Ornithine, serum, carbamoyl transferase, comparison of colorimetric methods for (BUTTERY, BARON) 242
Oxosteroids, determination of, with 2,4-dinitrophenylhydrazine (TREIBER) . . . 171
Paper electrophoresis, lipoprotein X simulating paraproteinemia in (MAY, DONABEDIAN) 255
Paraproteinemia, lipoprotein X simulating, in paper electrophoresis (MAY, DONABEDIAN) 255
Pepsin, kinetic study of the action of, on hemoglobin applied to gastric function (JARDILLIER, RENAUD, VATIER, AGNERAY) 187
Peptides, two, distribution of, of γ-aminobutyric acid in cerebrospinal fluid and the human brain (REGEMORTER, MARDENS, LOWENTHAL, VAN SANDE, LAVINHA) 59
Phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of carbamazepine, diphenylhydantoin (TOSELAND, GROVE, BERRY) 321
Phosphatase, alkaline, a comparison of chyle isoenzymes of, in chyle and hypophosphatasemic sera (INGLIS, FISHMAN, STOLBACH, WARSHAW, FISHMAN) . . . 67
Phosphokinase, creatine, isozymes of human heart muscle and skeletal muscle (TAKAHASHI, USHIKUBO, OIMOMI, SHINKO) 285
Pipecolic acid, the determination of, in serum and urine (GRIMBLE) 113
Plasma, a thirty-minute determination of sedatives in, by gas-liquid chromatography (WATSON, KALMAN) 33
Plasma amino acids, quantitative changes in, in patients with renal disease (McGALE, PICKFORD, ABER) 395
Plasma, estimation of Br^- in, with a Br^- selective electrode (DEGENHART, ABELN, BEVAART, BAKS) 217
Plasma growth hormone determinations, reproducibility of, between different laboratories (COPINSCHI, WOLTER, BRAUMAN) 207
Plasma inorganic iodine by ultrafiltration, a chemical determination of (POSTMES, COENEGRACHT) 313
Plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the (TOSELAND, GROVE, BERRY) . . . 321
Plasma lipolytic activity, post-heparin, semi-automatic determination of. Clinical studies (JAILLARD, SEZILLE, FRUCHART, SCHERPEREEL) 277
Polyol pattern, the serum, and the urinary polyol excretion in diabetic and in uremic patients (PITKÄNEN) 221
Pregnancy, an automated method for the assay of serum cystine aminopeptidase in (CHAPMAN, REGE, JOWETT, SILK, TOOTH) 339
Pregnancy, a mechanic system for the gel filtration of urinary oestrogens during (BREEBAART, SMORENBURG, HAAN) . . 263
Pregnancy urine, oestrogen determination in (CROWLEY, GARBIEN, ROSSER) . . . 91
Pulmonary A-V differences of lipids and free fatty acids in relation to fasting and to high fat meals (CONDORELLI, LOMBARDI, GUSMANO, PISANO) 141
Primidone, an isothermal GLC determination of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and (TOSELAND, GROVE, BERRY) . 321
Protein-binding assay, the competitive, of thyroxine in serum with ion exchange strips, a systematic investigation on (VAN OERS, GIJZEN) 365
Protein binding, competitive, measurement of thyroxine by (SELIGSON, SELIGSON) 199
Protein standardization, some divergent results of (BOOIJ) 355
Proteins, a highly sensitive method for deonstrating, in electrophoretic, immunoelectrophoric and immunodiffusion preparations (KERÉNYI, GALLYAS) 465

Pseudocholinesterase, serum, effect of L-asparaginase therapy upon, and ceruloplasmin levels in patients with acute leukemia (CUCUIANU, BORNUZ, MACAVEI) . 97
Pyruvate kinase, deficiency of, in red cells (BUC, NAJMAN, COLUMELLI, CATTIER) . 131
Quantitation of human α_1-foetoprotein, purification and sensitive immunoelectrophoretical detection and (NORGAARD-PEDERSEN) 163
Quantitative analysis of hydroquinone in urine (SEUTTER, SUTORIUS) 231
Quantitative changes in plasma amino acids in patients with renal disease (MCGALE, PICKFORD, ABER) 395
Quantitative determination, a method for the, of the abnormal lipoprotein (LP-X) of obstructive jaundice (MAGNANI, ALAUPOVIĆ) 405
Quantitative thin-layer chromatography of glycolipids in animal tissues (NESKOVIC, SARLIEVE, NUSSBAUM, KOSTIC, MANDEL) 147
Reaction Rate Analyser, LKB 8600, creatine assay in the presence of protein with (LARSEN) 477
Red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuria (HERZ, KAPLAN, SCHEYE) 301
Red cells, deficiency of pyruvate kinase in (BUC, NAJMAN, COLUMELLI, CATTIER) . 131
Renal disease, quantitative changes in plasma amino acids in patients with (MCGALE, PICKFORD, ABER) 395
Sedatives, a thirty-minute determination of, in plasma by gas-liquid chromatography (WATSON, KALMAN) 33
Serum and urine, the determination of pipecolic acid in (GRIMBLE) 113
Serum calcium, ultrafiltrable, and magnesium in healthy volunteers and kidney stone patients (SCHWILLE, ERNSTBERGER) 379
Serum components at different degrees of saturation with iron, the binding of iron to transferrin and to other (VAN DER HEUL, VAN EIJK, WILTINK. LEIJNSE) 347
Serum cystine aminopeptidase in pregnancy, an automated method for the assay of (CHAPMAN, REGE, JOWETT, SILK, TOOTH) 339
Serum glucose-6-phosphatase assay, a modification of the (ELDER, WOOD) 211
Serum, the, heat labile alkaline phosphatase activity during pregnancy (BISWAS, HINDOCHA) 455
Serum hexosaminidase A test, abbreviated, from finger-tip samples: Tay-Sachs disease (COTLIER) 233
Serum, human blood, a method for determination of chlorpromazine in (CHRISTOPH, SCHMIDT, DAVIS) 265
Serum, immunochemical examination and analytical isoelectric focussing of, of a patient with Tangier disease (KOSTNER, HOLASEK, SCHOENBORN, FUHRMAN) . . 155
Serum immunoglobulin levels in healthy children and children with current infectious diseases (MANUEL, CARMONADA, MOTTA) 250
Serum lipase, new method for the rapid and precise determination of (FRUCHART, SEZILLE, JAILLARD, BISERTE) 247
Serum ornithine carbamoyl transferase, comparison of colorimetric methods for (BUTTERY, BARON) 242
Serum polyol pattern, the, and the urinary polyol excretion in diabetic and in uremic patients (PITKÄNEN) 221
Serum thyroxine after infusion of TRH (VAN KERSEN, DOORENBOS, WARINGA, WOLDRING) 239
Serum total lipids, estimation of (WOODMAN, PRICE) 39
Serum, urine and faeces, spectrophotometric determination of copper in (BEYER) 119
Serum with ion exchange strips, a systematic investigation on the competitive protein-binding assay of thyroxine in (VAN OOERS, GIJZEN) 365
Skeletal muscle, creatine phosphokinase isozymes of human heart muscle and (TAKAHASHI, USHIKUBO, OIMOMI, SHINKO) 285
Spectrophotometric determination of copper in serum, urine and faeces (BEYER) 119
Spectrophotometry, atomic absorption, analysis of stable strontium in biological materials by (WARREN, SPENCER) . . . 435
St_1-anti-st_1: a new human autoimmune system (ROELCKE) 468
Steroids, neutral, artifact formation during incubation of, with commercial β-glucuronidase preparations (MANSON, NOCKE-FINK, GUSTAFSSON, SHACKLETON) . . 45
Steroids, urinary, profiling. A reliable procedure (CALSEYDE, SCHOLTIS, SCHMIDT, LEIJTEN) 103
Strontium, analysis of stable, in biological materials by atomic absorption spectrophotometry (WARREN, SPENCER) . . . 435
Tangier disease, immunochemical examination and analytical isoelectric focussing of serum of a patient with (KOSTNER, HOLASEK, SCHOENBORN, FUHRMAN) 155
Tay-Sachs disease: abbreviated serum hexosaminidase A test from finger-tip samples (COTLIER) 233
Tetracyanoethylene, the reaction of vitamin D (calciferol) with. The basis of a possible chemical method to estimate vitamin D (EVANS) 85
Thin-layer chromatography, quantitative, of glycolipids in animal tissues (NESKOVIC, SARLIEVE, NUSSBAUM, KOSTIC, MANDEL) 147
Thyroxine in serum with ion exchange strips, a systematic investigation on the

competitive protein-binding assay of (VAN OERS, GIJZEN) 365
Thyroxine, measurement of, by competitive protein binding (SELIGSON, SELIGSON) 199
Thyroxine, serum, after infusion of TRH (VAN KERSEN, DOORENBOS, WARINGA, WOLDRING) 239
Transferrin, the binding of iron to, and to other serum components at different degrees of saturation with iron (VAN DER HEUL, VAN EIJK, WILTINK, LEIJNSE) . 347
TRH, serum thyroxine after infusion of (VAN KERSEN, DOORENBOS, WARINGA, WOLDRING) 239
Ultrafiltrable serum calcium and magnesium in healthy volunteers and kidney stone patients (SCHWILLE, ERNSTBERGER) 379
Ultrafiltration, a chemical determination of plasma inorganic iodine by (POSTMES, COENEGRACHT) 313
Urinary excretion of dehydroepiandrosterone in normal children and in patients with adrenocortical disorders (PAL, TELLER) 371
Urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate, gas chromatographic estimation of (KAHANE, EBBIGHAUSEN, VESTERGAARD) 413
Urinary oestrogens during pregnancy, a mechanic system for the gel filtration of (BREEBAART, SMORENBURG, HAAN) . . 263
Urinary methylmalonic acid, a rapid method for the analysis of (GIBBS, ITIABA, MAMER, CRAWHALL, COOPER) 447
Urinary polyol excretion in diabetic and in uremic patients, the serum polyol pattern and the (PITKÄNEN) 221
Urinary pregnanediol determination, a method for, using gas-liquid chromatography with electron capture (EVANS, FAHMY, MORGAN, PEARCE, COOKE) . . 25
Urinary steroids, profiling. A reliable procedure (CALSEYDE, SCHOLTIS, SCHMIDT, LEIJTEN) 103
Urine and faeces, spectrophotometric determination of copper in serum (BEYER) 119
Urine, determination of 4-pyridoxic acid in, by a fluorimetric method (MICKA-DEVIĆ, TOMANIĆ) 235
Urine, occurrence of adipic and suberic acid in, from ketotic patients (PETTERSEN, JELLUM, ELDJARN) 17
Urine, pregnancy, oestrogen determination in (CROWLEY, GARBIEN, ROSSER) . . . 91
Urine, quantitative analysis of hydroquinone in (SEUTTER, SUTORIUS) 231
Urine, serum and, the determination of pipecolic acid in (GRIMBLE) 113
Urine, simple quantitative method for determining 8-methoxy-4-hydroxyphenylacetic acid and 3,4-dihydroxyphenylacetic acid in (VIDI, BONARDI) 463
Urine, the determination of nitrogen of amino compounds in, by chelates (NÝDR, ŠTÁHLAVSKÁ) 457
Vitamin D (calciferol), the reaction of, with tetracyanoethylene. The basis of a possible chemical method to estimate vitamin D (EVANS) 85